



# **Country Waste Profile Report for SWITZERLAND Reporting Year: 2006**

*For guidance on reading Country Waste Profile Reports,  
please refer to the following internet based document:*

*<http://www-newmdb.iaea.org/help/profiles9/guide.pdf>*

*For further information, please contact the Responsible Officer via e-mail:  
[NEWMDB@IAEA.org](mailto:NEWMDB@IAEA.org)*

## Waste Classification Schemes

Country: SWITZERLAND

Reporting Year: 2006

Waste Class Matrix: **IAEA Def.**

This country does use the IAEA Scheme: Yes

Description:

The Agency's standard matrix

| Waste Class Name | Distribution % |         |       |
|------------------|----------------|---------|-------|
|                  | LILW-SL        | LILW-LL | HLW   |
| LILW-SL          | 100.0          | 0.0     | 0.0   |
| LILW-LL          | 0.0            | 100.0   | 0.0   |
| HLW              | 0.0            | 0.0     | 100.0 |

Comment **# 7198: Matrix use**

The IAEA standard waste classification system is not applied within official reports on radwaste in Switzerland. In the context of NEWMDB, it is, however, adopted as default to meet basic technical requirements for the definition of reporting groups within the database (i.e. need for waste matrix allocation) in case of reporting groups without any associated classification system (e.g. because there is no official reporting at all).

Waste Class Matrix: **Nagra**

Description:

Classification scheme adopted by Nagra for provisional waste allocation to planned SMA and HAA/LMA repositories within Swiss disposal programme in 1985-2002 [kept in NEWMDB up to decisions on site/concept of new SMA repository]. Precise classification rules have not yet been established; the basic criterion is that the system of repositories and allocated wastes can be demonstrated to comply with the national overall long-term safety targets stated in HSK-R-21 (November 1993).

| Waste Class Name | Distribution % |         |       |
|------------------|----------------|---------|-------|
|                  | LILW-SL        | LILW-LL | HLW   |
| SMA              | 97.0           | 3.0     | 0.0   |
| LMA              | 0.0            | 100.0   | 0.0   |
| HAA              | 0.0            | 0.0     | 100.0 |

Comment **# 345: Waste class SMA**

SMA (low-level and short-lived intermediate level waste) shall be disposed of in a geologic repository, EL-SMA. This stream covers all LILW-SL (suitable for near-surface disposal) and might, from a technical point of view, also include part of LILW-LL (wastes slightly passing IAEA limit on specific alpha activity in LILW-SL). The volume of this LILW-LL fraction can be expected to be up to a few percent of the total SMA volume; the distribution factors given represent a rough estimate.

Comment **# 346: Waste class LMA**

LMA (long-lived intermediate-level waste) refers to the fraction of LILW-LL which cannot be disposed of in an EL-SMA.

Comment **# 347: Waste class HAA**

HAA (high-level waste) denote canisters with vitrified HLW from reprocessing spent Swiss fuel in France and Great Britain, being returned to Switzerland.

Comment **# 360: Waste class BE**

Not included. IAEA has explicitly excluded BE (spent fuel) from reporting in NEWMDB.

## Waste Classification Schemes

Country: SWITZERLAND

Reporting Year: 2006

Waste Class Matrix: **NEA-SD**

Description:

Classification scheme used by IAEA to report on Swiss waste disposed of by OECD/NEA sea dumping campaigns in the Atlantic Ocean between 1969 and 1982 (IAEA-TECDOC-1105 [August 1999], Annex A.11).

| Waste Class Name | Distribution % |         |     |
|------------------|----------------|---------|-----|
|                  | LILW-SL        | LILW-LL | HLW |
| MD               | 100.0          | 0.0     | 0.0 |
| MDLC             | 85.0           | 15.0    | 0.0 |

Comment **# 361: Waste class MD**

MD (200-l metal drums), nominal volume 0.21 m<sup>3</sup>, include solidified (generally: cemented) waste. They are assumed to be LILW-SL.

Comment **# 362: Waste class MDLC**

MDLC (metal drums lined with concrete) represent 200-l drums with cemented waste, grouted into a concrete container (nominal volume 0.98 m<sup>3</sup>) before shipment. Overpacking purposes are shielding (gamma emitters) and enhanced safety (alpha emitters, including Ra-226). Volume distribution over LILW-SL and LILW-LL is estimated on the basis of the alpha activities processed (AGNEB-165 [28.04.1983], table 1), the numbers of dumped MDLC (IAEA-TECDOC-1105 [1999], Annex A.11), and the assumption of a 60% use of the IAEA limits on specific activities for Ra-226 and other alpha emitters (AGNEB-165 [28.04.1983], p.4).

## Waste Classification Schemes

Country: SWITZERLAND

Reporting Year: 2006

Waste Class Matrix: **HSK**

Description:

Classification pattern to adopt HSK's actual practice in public reporting on radwaste accumulated at sites under HSK's supervision (see: Groups Overview - Reporting Group "HSK" - Comment #373) within the framework of NEWMDB.

| Waste Class Name | Distribution % |         |       |
|------------------|----------------|---------|-------|
|                  | LILW-SL        | LILW-LL | HLW   |
| KKB              | 100.0          | 0.0     | 0.0   |
| KKG              | 97.3           | 2.7     | 0.0   |
| KKL              | 100.0          | 0.0     | 0.0   |
| KKM              | 99.9           | 0.1     | 0.0   |
| PSI(HSK)         | 91.7           | 8.3     | 0.0   |
| ZWILAG-u         | 95.7           | 4.3     | 0.0   |
| ZWILAG-p         | 100.0          | 0.0     | 0.0   |
| RPW-LILW         | 70.0           | 30.0    | 0.0   |
| RPW-HLW          | 0.0            | 0.0     | 100.0 |

Comment **# 363: Class Definitions**

a) RPW-HLW and RPW-LILW: conditioned reprocessing wastes (vitrified HLW and others, respectively) returned to Switzerland by foreign reprocessors (Cogema, BNFL).

b) KKB, KKG, KKL, KKM: all wastes other than reprocessing wastes (generally: site-owned NPP operation wastes) stored at the pertinent NPP (KKB, KKG, KKL, KKM).

c) PSI(HSK): all federal wastes resulting from nuclear applications in medicine, industry and research - stored at facilities under HSK's supervision.

d) ZWILAG: all wastes other than reprocessing wastes stored at ZWILAG site (basically NPP operation/decommissioning waste) - provisionally a distinction between unprocessed and processed waste (affixes "-u" and "-p", respectively) is included to account for actual differences when applying IAEA's waste classification.

Comment **# 365: Volume Conversion to IAEA Classification System**

Volume data for waste classes to be reported have been tentatively split into volumes for HLW, LILW-SL and LILW-LL, resulting in the factors (percentage values) outlined above as matrix elements, based on the technical criteria defined in IAEA Safety Guide 111-G-1.1 (1994), Table II.

The following methods were applied:

(a) assessment from the Swiss database system on radioactive materials (ISRAM) referring to package nuclide inventories at key date [standard] - using the criterion >4000 Bq alpha/g of package to separate LILW-LL from LILW-SL -, or

(b) best estimate [backup].

Except for reporting class "RPW-HLW", the conversion factors must be considered as non-static, just reflecting an assessment related to a key date.

**Definition of «unprocessed waste» and «processed waste»:**

## Waste Classification Schemes

Country: SWITZERLAND

Reporting Year: 2006

This country uses the following definitions:

|                    | as-generated waste | processed for handling | processed for storage | processed for disposal |
|--------------------|--------------------|------------------------|-----------------------|------------------------|
| Unprocessed means: | x                  | x                      |                       |                        |
| Processed means:   |                    |                        | x                     | x                      |

Comment **# 12140: Definitions for Unprocessed and Processed Waste**

Waste volume data in the Reference Document for Reporting to NEWMDB (see comment #373) are given in terms of 2 categories - "unconditioned waste" and "conditioned waste".

The second category refers to waste which has been formally accepted by HSK as meeting the following general principle: "Radioactive waste shall be conditioned in such a way that the resulting waste forms, together with the packaging elements permanently tied to them, can be submitted to the waste management stages of transport, storage and disposal, without any further intrusive action, overpackaging measures remaining admissible". The first and complementary category, logically, includes all waste not yet complying with this principle.

In order to carry the Reference Document data unambiguously forward to NEWMDB, "unconditioned waste" and "conditioned waste" have been simply equalled to IAEA's terms "unprocessed waste" and "processed waste", respectively. Hence, data given for "processed waste" in NEWMDB in fact relate to waste considered as being processed for storage and, intentionally, also for disposal.

## Groups Overview

Country: SWITZERLAND

Reporting Year: 2006

|                           |  |
|---------------------------|--|
| <b>Reporting Group:</b>   | <b>BAG</b>   |
| Inventory Reporting Date: | December 2006  |
| Waste Matrix Used:        | IAEA Def.  |
| Description:              | Wastes from Nuclear Applications in Medicine, Industry and Research Held under BAG's Supervision |

| Site Name | Facility Name | Facilities Defined |         |  |
|-----------|---------------|--------------------|---------|--|
| CERN      | WMF@CERN      | processing         | storage |  |
| PSI(BAG)  | WMF@PSI-W     | processing         | storage |  |

## Comment # 7226: General

The Federal Office of Health (BAG) is the supervisory body for radwaste management activities at sites which do not fall under nuclear regulation in a legal sense [note: those are supervised by the Nuclear Safety Inspectorate (HSK)], dealing with a broad variety of waste producers in the field of nuclear applications in medicine, industry and research.

Waste arisings destined to disposal in a nuclear repository are

(a) collected on behalf of BAG (possibly after pretreatment, subject to fee) and routed to a national delivery point (PSI-East), where they are conditioned and stored under HSK's supervision (see: Reporting Group "HSK") - standard procedure for small producers, option for large nuclear research centres (CERN, PSI outside HSK's supervision), or

(b) storage after/without treatment or conditioning at site - standard procedure for large-sized decommissioning wastes of large nuclear research centres.

BAG has no legal obligation for public reporting on wastes falling under (b) [note: category (a) is included under reporting for PSI(HSK)]. Hence, information given is restricted to some qualitative issues.

Note, however, that registration of wastes of category (b) into the database system for Swiss radioactive wastes (ISRAM) has been accepted by PSI and CERN and is being implemented.

|                           |   |
|---------------------------|---|
| <b>Reporting Group:</b>   | <b>Foreign</b>                          |
| Inventory Reporting Date: | December 2006                           |
| Waste Matrix Used:        | IAEA Def.                               |
| Description:              | Swiss wastes stored outside Switzerland |

| Site Name | Facility Name | Facilities Defined |  |  |
|-----------|---------------|--------------------|--|--|
| ForeignRP | BNFL          | processing         |  |  |
|           | Cogema        | processing         |  |  |

## Comment # 7229: General

All Swiss NPP's have current service contracts with BNFL (United Kingdom) and COGEMA (France) for the reprocessing of a qualified amount of spent fuel. These are subject to a return-of-waste clause which is exercised by both reprocessors.

Reprocessing wastes to be returned include, in both cases, vitrified HLW and a spectrum of LILW types which have been or are to be submitted to acceptance procedures in Switzerland (as well as in other countries concerned).

Known are the fuel deliveries (fuel assembly types, fuel masses, burnups) from [not reported in NEWMDB] and the waste returns to Switzerland [reported under site "ZWILAG"], up to the key date.

The overall amount of waste expected to be returned to Switzerland is known but not finalized, hence volumes are not reported.

## Groups Overview

Country: SWITZERLAND

Reporting Year: 2006

|                           |  |
|---------------------------|--|
| <b>Reporting Group:</b>   | <b>HSK</b>   |
| Inventory Reporting Date: | December 2006  |
| Waste Matrix Used:        | HSK  |
| Description:              | Wastes from Swiss nuclear power industry, research reactors and other nuclear installations (including the national collection centre for Federal wastes at PSI-East) held under HSK's supervision |

| Site Name | Facility Name | Facilities Defined |         |  |
|-----------|---------------|--------------------|---------|--|
| KKB       | WMF@KKB       | processing         | storage |  |
| KKG       | WMF@KKG       | processing         | storage |  |
| KKL       | WMF@KKL       | processing         | storage |  |
| KKM       | WMF@KKM       | processing         | storage |  |
| PSI(HSK)  | WMF@PSI-E     | processing         | storage |  |
| ZWILAG    | WMF@ZWILAG    | processing         | storage |  |

Comment **# 373: Reference Document for Reporting to NEWMDB**

HSK Supervision Report 2006, Appendix A, Tables 8 [KKB, KKG, KKL, KKM, PSI(HSK)] and 9 [ZWILAG].

Comment **# 374: Reporting on NPP sites**

For NPP sites (KKB, KKG, KKL, KKM), the Reference Document provides data on total volumes for unprocessed and processed waste stored on site, without discrimination of individual local storage units. Under this constraint, (a) information on local waste management facilities is given collectively under "WMF@KKX", (b) waste data are presented for each site in terms of a generic "overall" storage unit (named "all@KKX"), (c) the start of both treatment/conditioning and storage operations is generically set equal to the first year of commercial operation of the NPP, and (d) the type of the "overall" storage unit is defined as "various" due to effective or potential variations within the set of locally available storage units [note: conditioned and solid unconditioned wastes are usually stored in buildings or bunkers, liquids or sludges awaiting treatment in tanks].

Comment **# 378: Reporting on PSI(HSK)**

As for NPP sites, the Reference Document provides data on total volumes for unprocessed and processed waste stored at site PSI(HSK) - physically being a part of PSI-East (PSI-E) site - , not discriminating between individual local storage units. Under this constraint, (a) information on local waste management facilities is given collectively under "WMF@PSI-E", (b) waste data are presented for each site in terms of a generic "overall" storage unit (named "all@PSI-E"), (c) the start of both treatment/conditioning and storage operations is generically set equal to the first year of operation of PSI-East, and (d) the type of the "overall" storage unit is defined as "various" due to effective or potential variations within the set of locally available storage units [note: processed and solid unprocessed wastes are usually stored in buildings or bunkers, liquids or sludges awaiting treatment in tanks].

Comment **# 7224: Reporting on ZWILAG**

In the case of ZWILAG, the central Swiss waste management facility owned by the 4 Swiss NPPs, the Reference Document includes information on allocation of identified wastes to distinct storage units. For the scope of NEWMDB, information on ZWILAG waste management facilities is summarized under "WMF@ZWILAG", the active storage units (Buildings H, M and further summarized under "others") being identified for comprehensiveness. Quantitative waste data in the Reference Report are not necessarily given in volume units and there is no explicit distinction between processed and unprocessed waste, thus requiring some data evaluation preceding any input to NEWMDB.

Comment **# 7225: Reporting on Storage Capacities**

Individual statements on site-specific storage capacities are omitted. As NPPs can use the large storage capacity of ZWILAG, problems with NPP waste storage are not expected to occur. At PSI-East, a need for increased capacity could be solved in time by adding further storage buildings or by use of ZWILAG storage capacity.

## Groups Overview

Country: SWITZERLAND

Reporting Year: 2006

|                           |                           |
|---------------------------|---------------------------|
| <b>Reporting Group:</b>   | <b>Nagra</b>              |
| Inventory Reporting Date: | December 2006             |
| Waste Matrix Used:        | Nagra                     |
| Description:              | Swiss Repository Projects |

| Site Name  | Facility Name | Facilities Defined |  |          |
|------------|---------------|--------------------|--|----------|
| EL-HAA/LMA | DU-HAA        |                    |  | disposal |
|            | DU-LMA        |                    |  | disposal |
| EL-SMA     | DU-SMA        |                    |  | disposal |

Comment **# 7287: General**

Nagra, the National Cooperative for the Disposal of Radioactive Waste, has been founded in 1972 as a private organization in order to manage the task of finding and planning Swiss radwaste repositories. Shareholders are the Swiss nuclear power industry and the Swiss Confederation (on account of waste arising from nuclear applications in medicine, industry and research).

Due to the actual state of Nagra's programmes, reported information will frequently include generic statements.

|                           |                      |
|---------------------------|----------------------|
| <b>Reporting Group:</b>   | <b>NEA-SD</b>        |
| Inventory Reporting Date: | December 2006        |
| Waste Matrix Used:        | NEA-SD               |
| Description:              | OECD/NEA sea dumping |

| Site Name  | Facility Name | Facilities Defined |  |          |
|------------|---------------|--------------------|--|----------|
| N-Atlantic | Sea Floor     |                    |  | disposal |

Comment **# 372: Waste volumes**

See IAEA-TECDOC-1105 (August 1999), Annex A.11.



## Site (Structure) : CERN

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Centre Européen pour la Recherche Nucléaire

Description:

Official Website:

License Holder(s): "Not licensed as a nuclear facility" / Organisation Européenne pour la Recherche Nucléaire

Comment # 7294: CERN Wastes

CERN is located at the Swiss/French border, extending into both countries, and has the status a international research facility. Radwastes arise from operation and decommissioning of accelerators and experimental equipment. There is a general understanding that these wastes will be routed to disposal within the two host countries, but final decisions have not been made.

A small fraction of "Swiss" wastes, e.g. incinerable waste, is traditionally routed to the national delivery point (PSI-East) for treatment, conditioning and subsequent storage.

The remaining wastes, e.g. large-sized decommissioning waste, are stacked, partially after pretreatment, at dedicated CERN buildings, awaiting free release or conditioning. A project aiming at characterizing and inventorying pertinent wastes according to HSK standards has been launched in 2003, in order to meet potential requirements for subsequent disposal in a Swiss repository and to evaluate optimized conditioning methods.

Potential waste arisings for disposal in Switzerland are estimated to be in the order of 10,000 -20,000 m3 (conditioned) LILW-SL.

Waste management facilities that are located at this site:

## Site (Structure) : CERN

Country: SWITZERLAND

Reporting Year: 2006

|                     |                                  |
|---------------------|----------------------------------|
| <b>Facility:</b>    | <b>WMF@CERN</b>                  |
| <b>Description:</b> | CERN Waste Management Facilities |

**Storage part of facility WMF@CERN**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| LILW-SL     | Yes    | Yes     |
| LILW-LL     | No     | No      |
| HLW         | No     | No      |

|                   |    |
|-------------------|----|
| <b>List SRS?</b>  | No |
| <b>List UMMT?</b> | No |

|                  |  |
|------------------|--|
| <b>Capacity:</b> |  |
|------------------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@CERN          | building  | 1970        | No      | No    | No       | No            |

**Processing part of facility WMF@CERN**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| LILW-SL     | No     | No      |
| LILW-LL     | No     | No      |
| HLW         | No     | No      |

|                     |           |
|---------------------|-----------|
| <b>Type:</b>        | Treatment |
| <b>Year opened:</b> | 1970      |

## Site (Structure) : PSI(BAG)

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Paul-Scherrer-Institut (Facilities under BAG supervision)

Description:

Official Website:

License Holder(s): "Not licensed as a nuclear facility" / Paul-Scherrer-Institut

Comment **# 7296: PSI(BAG) Wastes**

Wastes arising from decommissioning of accelerators and experimental equipment at PSI-West are, normally, not routed to the national delivery point at PSI-East. Instead, they are conditioned by grouting in large concrete containers which are used afterwards as shielding elements at site.

Due to their functionality, such waste-containing shielding elements are not (yet) waste in a legal sense, and any reference to "storage units" at PSI-West must be related to that aspect.

Expected overall volume for conditioned waste is around 10,000 m3 LILW-SL.

Waste management facilities that are located at this site:

## Site (Structure) : PSI(BAG)

Country: SWITZERLAND

Reporting Year: 2006

|                     |   |
|---------------------|---|
| <b>Facility:</b>    | <b>WMF@PSI-W</b>                        |
| <b>Description:</b> | Waste Management Facilities at PSI-West |

**Storage part of facility WMF@PSI-W**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| LILW-SL     | Yes    | Yes     |
| LILW-LL     | No     | No      |
| HLW         | No     | No      |

|                   |    |
|-------------------|----|
| <b>List SRS?</b>  | No |
| <b>List UMMT?</b> | No |

|                  |  |
|------------------|--|
| <b>Capacity:</b> |  |
|------------------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@PSI-W         | building  | 1980        | No      | No    | No       | No            |

**Processing part of facility WMF@PSI-W**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| LILW-SL     | No     | No      |
| LILW-LL     | No     | No      |
| HLW         | No     | No      |

|                     |                         |
|---------------------|-------------------------|
| <b>Type:</b>        | Treatment, Conditioning |
| <b>Year opened:</b> | 1980                    |

## Site (Structure) : ForeignRP

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Foreign Reprocessing Plants

Description:

Official Website:

License Holder(s):

Waste management facilities that are located at this site:

|  |                         |                |
|--|-------------------------|----------------|
| <b>Facility:</b>   | <b>BNFL</b>             |                |
| Description:   | BNFL, Sellafield, U.K.  |                |
| <b>Processing part of facility                      BNFL</b>     |                         |                |
| The following shows processing status for waste classes and SRS. |                         |                |
| <b>Waste Class</b>   | <b>Actual</b>           | <b>Planned</b> |
| LILW-SL  | Yes                     | Yes            |
| LILW-LL  | Yes                     | Yes            |
| HLW  | Yes                     | Yes            |
| <b>Type:</b>   | Treatment, Conditioning |                |
| <b>Year opened:</b>  | 0                       |                |

## Site (Structure) : ForeignRP

Country: SWITZERLAND

Reporting Year: 2006

| <b>Facility:</b>  | <b>Cogema</b>                   |         |         |         |    |    |         |     |     |     |     |     |  |
|---|---------------------------------|---------|---------|---------|----|----|---------|-----|-----|-----|-----|-----|--|
| Description:  | Cogema, Cap de la Hague, France |         |         |         |    |    |         |     |     |     |     |     |  |
| <b>Processing part of facility</b> <b>Cogema</b>  |                                 |         |         |         |    |    |         |     |     |     |     |     |  |
| The following shows processing status for waste classes and SRS.  |                                 |         |         |         |    |    |         |     |     |     |     |     |  |
| <table border="1"><thead><tr><th>Waste Class</th><th>Actual</th><th>Planned</th></tr></thead><tbody><tr><td>LILW-SL</td><td>No</td><td>No</td></tr><tr><td>LILW-LL</td><td>Yes</td><td>Yes</td></tr><tr><td>HLW</td><td>Yes</td><td>Yes</td></tr></tbody></table> | Waste Class                     | Actual  | Planned | LILW-SL | No | No | LILW-LL | Yes | Yes | HLW | Yes | Yes |  |
| Waste Class   | Actual                          | Planned |         |         |    |    |         |     |     |     |     |     |  |
| LILW-SL   | No                              | No      |         |         |    |    |         |     |     |     |     |     |  |
| LILW-LL   | Yes                             | Yes     |         |         |    |    |         |     |     |     |     |     |  |
| HLW   | Yes                             | Yes     |         |         |    |    |         |     |     |     |     |     |  |
| Type:   | Treatment, Conditioning         |         |         |         |    |    |         |     |     |     |     |     |  |
| Year opened:  | 0                               |         |         |         |    |    |         |     |     |     |     |     |  |

## Site (Structure) : KKB

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Kernkraftwerk Beznau

Description:

Official Website:

License Holder(s): Nordostschweizerische Kraftwerke AG, CH-5400 Baden

Waste management facilities that are located at this site:

|                  |                                    |
|------------------|------------------------------------|
| <b>Facility:</b> | <b>WMF@KKB</b>                     |
| Description:     | Waste Management Facilities at KKB |

**Storage part of facility WMF@KKB**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | Yes    | Yes     |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@KKB           | various   | 1969        | No      | No    | No       | No            |

## Site (Structure) : KKB

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility WMF@KKB**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 1969                    |



## Site (Data) : KKB

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

Site Name: KKB



Full Name: Kernkraftwerk Beznau

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

## Waste Inventory

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

## Waste Class: KKB

| Waste Class Name | Location / Facility | Proc. | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %   | FF/FE % | RP % | NA % | DF % | DC/RE % | ND % |
|------------------|---------------------|-------|------|---------------------|------------------------|--------|---------|------|------|------|---------|------|
| KKB              | Storage / WMF@KKB   | N     | N    | 131.000             | 131.000                | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |
| KKB              | Storage / WMF@KKB   | Y     | N    | 1096.000            | 1096.000               | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |

## Processing - Treatment method(s)

| Method                 | Status  |             |   |               |
|------------------------|---------|-------------|---|---------------|
|                        | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Chemical Precipitation | N       | N           | Same  | N             |
| Decontamination        | N       | N           | Same  | N             |
| Evaporation            | N       | N           |   | Y             |

**Site (Data) : KKB**

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Processing - Conditioning method(s)**

| Method         | Status  |             |   |               |
|----------------|---------|-------------|---|---------------|
|                | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Cementation    | N       | N           | Same  | N             |
| Polymerization | N       | N           | Same  | N             |

## Site (Structure) : KKG

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Kernkraftwerk Gösgen

Description:

Official Website:

License Holder(s): Kernkraftwerk Gösgen-Däniken AG, Däniken

Waste management facilities that are located at this site:

|                  |                                    |
|------------------|------------------------------------|
| <b>Facility:</b> | <b>WMF@KKG</b>                     |
| Description:     | Waste Management Facilities at KKG |

**Storage part of facility WMF@KKG**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | Yes    | Yes     |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@KKG           | various   | 1979        | No      | No    | No       | No            |

## Site (Structure) : KKG

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility WMF@KKG**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 1979                    |

## Site (Data) : KKG

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

Site Name: KKG



Full Name: Kernkraftwerk Gösgen

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

## Waste Inventory

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

## Waste Class: KKG

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %   | FF/FE % | RP % | NA % | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|--------|---------|------|------|------|---------|------|
| KKG              | Storage / WMF@KKG   | N    | N    | 46.000              | 46.000                 | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |
| KKG              | Storage / WMF@KKG   | Y    | N    | 169.000             | 169.000                | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |

## Processing - Treatment method(s)

| Method          | Status  |             |   |               |
|-----------------|---------|-------------|---|---------------|
|                 | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Calcination     | N       | N           | Same  | N             |
| Decontamination | N       | N           | Same  | N             |
| Evaporation     | N       | N           | Same  | N             |

**Site (Data) : KKG**

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Processing - Conditioning method(s)**

| Method         | Status  |             |   |               |
|----------------|---------|-------------|---|---------------|
|                | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Bituminization | N       | N           | Same  | N             |
| Cementation    | N       | N           | Same  | N             |

## Site (Structure) : KKL

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Kernkraftwerk Leibstadt

Description:

Official Website:

License Holder(s): Kernkraftwerk Leibstadt AG

Waste management facilities that are located at this site:

|                     |                                    |
|---------------------|------------------------------------|
| <b>Facility:</b>    | <b>WMF@KKL</b>                     |
| <b>Description:</b> | Waste Management Facilities at KKL |

**Storage part of facility WMF@KKL**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | Yes    | Yes     |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@KKL           | various   | 1984        | No      | No    | No       | No            |

## Site (Structure) : KKL

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility WMF@KKL**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 1984                    |



## Site (Data) : KKL

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

Site Name: KKL



Full Name: Kernkraftwerk Leibstadt

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

## Waste Inventory

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

Waste Class: KKL

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %   | FF/FE % | RP % | NA % | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|--------|---------|------|------|------|---------|------|
| KKL              | Storage / WMF@KKL   | N    | N    | 56.000              | 56.000                 | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |
| KKL              | Storage / WMF@KKL   | Y    | N    | 1480.000            | 1480.000               | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |

## Processing - Treatment method(s)

| Method           | Status  |             |   |               |
|------------------|---------|-------------|---|---------------|
|                  | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Decontamination  | N       | N           | Same  | N             |
| Evaporation      | N       | N           | Same  | N             |
| Size Reduction   | N       | N           | Same  | N             |
| Super Compaction | N       | N           |   | Y             |

Comment # 7281: Supercompaction

Between the late 80's and 2001, KKL was temporarily hosting a mobile supercompactor for treatment of compactable mixed NPP waste, as a joint venture of all Swiss NPPs. In future, such treatment would be performed at ZWILAG.

## Site (Data) : KKL

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Processing - Conditioning method(s)**

| Method      | Status  |             |   |               |
|-------------|---------|-------------|---|---------------|
|             | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Cementation | N       | N           | Same  | N             |

## Site (Structure) : KKM

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Kernkraftwerk Mühleberg

Description:

Official Website:

License Holder(s): BKW FMB Energie AG

Waste management facilities that are located at this site:

|                  |                                    |
|------------------|------------------------------------|
| <b>Facility:</b> | <b>WMF@KKM</b>                     |
| Description:     | Waste Management Facilities at KKM |

**Storage part of facility WMF@KKM**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | Yes    | Yes     |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@KKM           | various   | 1971        | No      | No    | No       | No            |

## Site (Structure) : KKM

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility**                      **WMF@KKM**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 1971                    |

## Site (Data) : KKM

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

Site Name: KKM



Full Name: Kernkraftwerk Mühleberg

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

## Waste Inventory

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

Waste Class: KKM

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %   | FF/FE % | RP % | NA % | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|--------|---------|------|------|------|---------|------|
| KKM              | Storage / WMF@KKM   | N    | N    | 96.000              | 96.000                 | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |
| KKM              | Storage / WMF@KKM   | Y    | N    | 824.000             | 824.000                | 100.00 | 0.00    | 0.00 | 0.00 | 0.00 | 0.00    | 0.00 |

## Processing - Treatment method(s)

| Method                               | Status  |             |   |               |
|--------------------------------------|---------|-------------|---|---------------|
|                                      | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Decontamination                      | N       | N           | Same  | N             |
| Size Reduction                       | N       | N           | Same  | N             |
| Thermal Treatment (non incineration) | N       | N           | Same  | N             |

## Processing - Conditioning method(s)

| Method      | Status  |             |   |               |
|-------------|---------|-------------|---|---------------|
|             | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Cementation | N       | N           | Same  | N             |

**Site (Data) : KKM**

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

## Site (Structure) : PSI(HSK)

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Paul-Scherrer-Institut (Facilities under HSK supervision)

Description:

Official Website:

License Holder(s): Paul-Scherrer-Institut

Waste management facilities that are located at this site:

|                     |  |
|---------------------|--|
| <b>Facility:</b>    | <b>WMF@PSI-E</b>   |
| <b>Description:</b> | Waste Management Facilities at PSI-East (Nuclear Facilities under HSK supervision) |

**Storage part of facility WMF@PSI-E**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | Yes    | Yes     |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| all@PSI-E         | various   | 1967        | No      | No    | No       | No            |

## Site (Structure) : PSI(HSK)

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility**                      **WMF@PSI-E**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | No     | No      |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 1967                    |



## Site (Data) : PSI(HSK)

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Site Name:** PSI(HSK)



Full Name: Paul-Scherrer-Institut (Facilities under HSK supervision)

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

**Waste Inventory**

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

**Waste Class:** PSI(HSK)

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO % | FF/FE % | RP % | NA %  | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|------|---------|------|-------|------|---------|------|
| PSI(HSK)         | Storage / WMF@PSI-E | N    | N    | 455.000             | 455.000                | 0.00 | 0.00    | 0.00 | 55.50 | 0.00 | 44.50   | 0.00 |
| PSI(HSK)         | Storage / WMF@PSI-E | Y    | N    | 1155.000            | 1155.000               | 0.38 | 0.00    | 0.00 | 85.42 | 0.00 | 14.20   | 0.00 |

**Processing - Treatment method(s)**

| Method          | Status  |             |   |               |
|-----------------|---------|-------------|---|---------------|
|                 | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Compaction      | N       | N           | Same  | N             |
| Decontamination | N       | N           | Same  | N             |
| Incineration    | N       | N           |   | Y             |
| Metal Melting   | N       | N           | Same  | N             |
| Size Reduction  | N       | N           | Same  | N             |

## Site (Data) : PSI(HSK)

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Processing - Conditioning method(s)**

| Method        | Status  |             |   |               |
|---------------|---------|-------------|---|---------------|
|               | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Cementation   | N       | N           | Same  | N             |
| Encapsulation | N       | N           | Same  | N             |
| Grouting      | N       | N           | Same  | N             |

## Site (Structure) : ZWILAG

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Zentrales Zwischenlager Würenlingen

Description:

Official Website:

License Holder(s): Zwischenlager Würenlingen AG

Waste management facilities that are located at this site:

|                     |                                       |
|---------------------|---------------------------------------|
| <b>Facility:</b>    | <b>WMF@ZWILAG</b>                     |
| <b>Description:</b> | Waste Management Facilities at ZWILAG |

**Storage part of facility WMF@ZWILAG**

The following shows storage status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | Yes    | Yes     |
| ZWILAG-p    | Yes    | Yes     |
| RPW-LILW    | No     | Yes     |
| RPW-HLW     | Yes    | Yes     |

|            |    |
|------------|----|
| List SRS?  | No |
| List UMMT? | No |

|           |  |
|-----------|--|
| Capacity: |  |
|-----------|--|

## Types of Storage Units

| Storage Unit Name | Type Name | Year Opened | Closed? | Full? | Modular? | Contains SRS? |
|-------------------|-----------|-------------|---------|-------|----------|---------------|
| Lager H           | building  | 2001        | No      | No    | No       | No            |
| Lager M           | bunker    | 2001        | No      | No    | No       | No            |
| others            | building  | 2001        | No      | No    | No       | No            |

## Site (Structure) : ZWILAG

Country: SWITZERLAND

Reporting Year: 2006

**Processing part of facility**                      **WMF@ZWILAG**

The following shows processing status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| KKB         | No     | No      |
| KKG         | No     | No      |
| KKL         | No     | No      |
| KKM         | No     | No      |
| PSI(HSK)    | No     | No      |
| ZWILAG-u    | Yes    | Yes     |
| ZWILAG-p    | No     | No      |
| RPW-LILW    | No     | No      |
| RPW-HLW     | No     | No      |

|              |                         |
|--------------|-------------------------|
| Type:        | Treatment, Conditioning |
| Year opened: | 2001                    |

## Site (Data) : ZWILAG

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

Site Name: ZWILAG



Full Name: Zentrales Zwischenlager Würenlingen

Inventory Reporting Date: December 2006

Waste Matrix Used: HSK

## Waste Inventory

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

## Waste Class: ZWILAG-u

| Waste Class Name | Location / Facility  | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %  | FF/FE % | RP % | NA %  | DF % | DC/RE % | ND % |
|------------------|----------------------|------|------|---------------------|------------------------|-------|---------|------|-------|------|---------|------|
| ZWILAG-u         | Storage / WMF@ZWILAG | N    | N    | 323.000             | 323.000                | 50.90 | 0.00    | 0.00 | 10.10 | 0.00 | 39.00   | 0.00 |

## Waste Class: ZWILAG-p

| Waste Class Name | Location / Facility  | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %  | FF/FE % | RP % | NA % | DF % | DC/RE % | ND % |
|------------------|----------------------|------|------|---------------------|------------------------|-------|---------|------|------|------|---------|------|
| ZWILAG-p         | Storage / WMF@ZWILAG | Y    | N    | 524.000             | 524.000                | 97.50 | 0.00    | 0.00 | 0.00 | 0.00 | 2.50    | 0.00 |

## Waste Class: RPW-HLW

| Waste Class Name | Location / Facility  | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO % | FF/FE % | RP %   | NA % | DF % | DC/RE % | ND % |
|------------------|----------------------|------|------|---------------------|------------------------|------|---------|--------|------|------|---------|------|
| RPW-HLW          | Storage / WMF@ZWILAG | Y    | N    | 40.300              | 40.300                 | 0.00 | 0.00    | 100.00 | 0.00 | 0.00 | 0.00    | 0.00 |

## Site (Data) : ZWILAG

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Processing - Treatment method(s)**

| Method           | Status  |             |   |               |
|------------------|---------|-------------|---|---------------|
|                  | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Decontamination  | N       | N           | Increase  | N             |
| Incineration     | N       | N           | Increase  | N             |
| Metal Melting    | N       | N           | Increase  | N             |
| Super Compaction | N       | Y           |   | N             |

**Processing - Conditioning method(s)**

| Method                      | Status  |             |   |               |
|-----------------------------|---------|-------------|---|---------------|
|                             | Planned | R&D program | Current practice method use over the last 5 years | Past Practice |
| Casting (of metal and slag) | N       | N           | Same  | N             |
| Cementation                 | N       | Y           |   | N             |
| Grouting                    | N       | N           | Increase  | N             |

Comment **# 9721: ZWILAG Plasma Arc Incinerator/Melter**

Facility designed to incinerate/decompose/melt mixed waste (organics, metals, inorganics) fed in drums by very high temperature treatment.. Primary process residues are molten slag (non-metallic residues immersed into molten glass) and molten metals. These are casted into 145 l moulds. After waste product solidification by cooling, the moulds are overpacked in 200 l drums.

Active commissioning of the facility has started in November 2004.

## Site (Structure) : EL-HAA/LMA

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Swiss repository project for high-level and long-lived intermediate-level waste

Description:

Official Website:

License Holder(s):

## Comment # 355: Programme status EL-HAA/LMA (12/2006)

Feasibility demonstration for an EL-HAA/LMA in 1985 (Projekt Gewaehr 85), based on deep geologic disposal in crystalline host rock in northern Switzerland, led to follow-up project for completion of disposal feasibility demonstration. Subsequent extensive field investigations in areas of promising rock formations (crystalline and, as an extension, Opalinus clay in the northern part of the Canton of Zurich) lead to a supplementary feasibility study (Entsorgungsnachweis) which has been submitted to authorities in 2002, referring to Opalinus clay as candidate host rock. Swiss Government approved Entsorgungsnachweis on June 28, 2006. Region/site selection shall be based on the Sectoral Plan (Sachplan) as required by the new Nuclear Energy Ordinance (KEV). Multinational repository options are not to be ruled out yet.

## Comment # 7285: Information on Disposal Unit Capacities

Capacity numbers given are rough GUIDELINES FOR SITE SELECTION PURPOSES and refer to wastes at emplacement into disposal areas (i.e. they account for overpacking into disposal containers within repository site facilities). A reserve volume for spent fuel is included in the capacity planned for HAA disposal units. With the basic scenario, Swiss repositories defined below shall accommodate all Swiss radwaste (i.e. of NPP and any other origin) arisings as nowadays stored or being accumulated in future, until all of the Swiss NPP actually in operation are decommissioned. Note that these capacity data represent by definition an upper envelope for waste arisings which have been defined for safety assessment reports and engineering studies, relying on distinct scenarios. Excavation will be adjusted at construction time to meet effective needs.

## Comment # 9718: Conditioning Facilities Envisaged for EL-HAA/LMA

According to Nagra's actual plans, delivered waste units shall be conditioned / overpacked after reception at the site, before transport to disposal units:

- (a) LMA units (small size packages): to be emplaced/grouted into standardized LMA disposal containers;
- (b) canisters with vitrified HLW from reprocessing in transport & storage containers (TSC) : unloading from TSC, emplacement into disposal containers (cast iron), welding of the HAA disposal container.

[ note: if direct disposal of spent fuel is to be planned/performed:

- (c) spent fuel in TSC: transfer from TSC into BE disposal container, sealing of BE disposal container. ]

Waste management facilities that are located at this site:

|              |                          |
|--------------|--------------------------|
| Facility:    | DU-HAA                   |
| Description: | Disposal Unit(s) for HAA |
|              |                          |

## Site (Structure) : EL-HAA/LMA

Country: SWITZERLAND

Reporting Year: 2006

**Disposal part of facility**

The following shows disposal status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| SMA         | No     | No      |
| LMA         | No     | No      |
| HAA         | No     | No      |

|            |        |
|------------|--------|
| List SRS?  | #Error |
| List UMMT? | #Error |

|                      |        |
|----------------------|--------|
| Type:                |        |
| Facility is modular? | #Error |

|            |  |              |  |
|------------|--|--------------|--|
| Depth (m): |  | Host medium: |  |
|------------|--|--------------|--|

| Phase Name | Start Year | End Year | Estimate |
|------------|------------|----------|----------|
|------------|------------|----------|----------|



## Site (Structure) : EL-HAA/LMA

Country: SWITZERLAND

Reporting Year: 2006

|                     |                          |
|---------------------|--------------------------|
| <b>Facility:</b>    | <b>DU-LMA</b>            |
| <b>Description:</b> | Disposal Unit(s) for LMA |

**Disposal part of facility**

The following shows disposal status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| SMA         | No     | No      |
| LMA         | No     | No      |
| HAA         | No     | No      |

|                      |        |
|----------------------|--------|
| List SRS?            | #Error |
| List UMMT?           | #Error |
| Type:                |        |
| Facility is modular? | #Error |

|            |  |              |  |
|------------|--|--------------|--|
| Depth (m): |  | Host medium: |  |
|------------|--|--------------|--|

| Phase Name | Start Year | End Year | Estimate |
|------------|------------|----------|----------|
|------------|------------|----------|----------|

## Site (Structure) : EL-SMA

Country: SWITZERLAND

Reporting Year: 2006

Full Name: Swiss repository project for low-level and short-lived intermediate-level waste

Description:

Official Website:

License Holder(s):

Comment **# 353: Project status EL-SMA (12/2006)**

Feasibility demonstration for an EL-SMA repository (Projekt Gewähr 1985) accepted by authorities in 1988. After a site selection procedure, Wellenberg, Canton of Nidwalden, has been selected as EL-SMA site in 1993 (application for general license to Confederation in 1994). Apart from licensing according to Atomic Law, a cantonal mining concession is required in Nidwalden for repository-bound excavation; this concession is subject to public referendum. Mining concession has been disapproved twice by the people of Nidwalden - 1995 (for exploratory drift and repository) and 2002 (for exploratory drift only) - despite the fact that the repository concept had been modified since 1995 to meet primary public concerns (extended monitoring, enhanced retrievability). After the 2002 vote, Wellenberg site has been abandoned by the potential operator.

In 2003, Nagra launched a programme to re-evaluate candidate host rocks/sites from the scratch and to reconsider alternative repository concepts. Region/site selection is going to be based on the Sectoral Plan (Sachplan) procedure, as required by the new Nuclear Energy Ordinance (KEV). Preliminary work on testing the procedure started mid 2006.

Comment **# 354: Project characteristics EL-SMA (12/2006)**

EL-SMA facility description must be considered as being open. The total capacity envisaged remains, however, unaltered.

Comment **# 7286: Information on Disposal Unit Capacity**

The capacity numbers given are rough GUIDELINES FOR SITE SELECTION PURPOSES and refer to wastes at emplacement into disposal areas (i.e. they account for overpacking into disposal containers within repository site facilities). With the basic scenario, Swiss repositories defined below shall accommodate all Swiss radwaste (i.e. of NPP and any other origin) arisings as nowadays stored or being accumulated in future, until all of the Swiss NPP actually in operation are decommissioned. Note that these capacity data represent by definition an upper envelope for waste arisings which have been defined for safety assessment reports and engineering studies, relying on distinct scenarios. Excavation will be adjusted at construction time to meet effective needs.

Comment **# 9719: Conditioning Facilities Envisaged for EL-SMA**

After reception at the site, delivered waste units shall be conditioned / overpacked before transport to disposal units:

(a) Small-size packages: to be emplaced/grouted into standardized SMA disposal containers.

Waste management facilities that are located at this site:

## Site (Structure) : EL-SMA

Country: SWITZERLAND

Reporting Year: 2006

|                     |                            |
|---------------------|----------------------------|
| <b>Facility:</b>    | <b>DU-SMA</b>              |
| <b>Description:</b> | Disposal Unit(s) at EL-SMA |

**Disposal part of facility**

The following shows disposal status for waste classes and SRS.

| Waste Class | Actual | Planned |
|-------------|--------|---------|
| SMA         | No     | No      |
| LMA         | No     | No      |
| HAA         | No     | No      |

|            |        |
|------------|--------|
| List SRS?  | #Error |
| List UMMT? | #Error |

|                      |        |
|----------------------|--------|
| Type:                |        |
| Facility is modular? | #Error |

|            |  |              |  |
|------------|--|--------------|--|
| Depth (m): |  | Host medium: |  |
|------------|--|--------------|--|

| Phase Name | Start Year | End Year | Estimate |
|------------|------------|----------|----------|
|------------|------------|----------|----------|

## Site (Structure) : N-Atlantic

Country: SWITZERLAND

Reporting Year: 2006

Full Name: North Atlantic Ocean

Description:

Official Website:

License Holder(s):

Comment **# 371: Background**

Switzerland has participated in the OECD/NEA Atlantic Ocean dumping programme between 1969 and 1982. IAEA-TECDOC-1105 and documents referenced there provide a summary on history, safety assessments and wastes processed. In 1983, dumping operations with Swiss waste have been stopped, and Swiss Government formally renounced on continued use of this disposal option in 1992.

Waste management facilities that are located at this site:

|  |                                |                        |                    |
|--|--------------------------------|------------------------|--------------------|
| <b>Facility:</b>   | <b>Sea Floor</b>               |                        |                    |
| Description:   |                                |                        |                    |
| <b>Disposal part of facility</b>                               |                                | <b>Sea Floor</b>       |                    |
| The following shows disposal status for waste classes and SRS. |                                |                        |                    |
| <b>Waste Class</b>   | <b>Actual</b>                  | <b>Planned</b>         |                    |
| MD   | Yes                            | No                     |                    |
| MDLC   | Yes                            | No                     |                    |
| List SRS?  | No                             |                        |                    |
| List UMMT?   | No                             |                        |                    |
| Type:  | sea dumping (sea bed disposal) |                        |                    |
| Facility is modular?   | No                             |                        |                    |
| Capacity existing (m3):  | 2308                           | Capacity planned (m3): | 0                  |
| Depth (m):   | 3600-4750                      | Host medium:           | sedimentary (sand) |
| <b>Phase Name</b>  | <b>Start Year</b>              | <b>End Year</b>        | <b>Estimate</b>    |
| operation  | 1969                           | 1982                   | False              |

## Site (Data) : N-Atlantic

Stock of waste as at December 2006

Country: SWITZERLAND

Reporting Year: 2006

**Site Name:** N-Atlantic

Full Name: North Atlantic Ocean

Inventory Reporting Date: December 2006



Waste Matrix Used: NEA-SD

Comment # 371: Background

Switzerland has participated in the OECD/NEA Atlantic Ocean dumping programme between 1969 and 1982. IAEA-TECDOC-1105 and documents referenced there provide a summary on history, safety assessments and wastes processed. In 1983, dumping operations with Swiss waste have been stopped, and Swiss Government formally renounced on continued use of this disposal option in 1992.

**Waste Inventory**

Est=distribution is an estimate, Proc.=Is the waste processed (Yes/No)? RO=Reactor Operations, FF/FE=Fuel Fabrication/Fuel Enrichment, RP=Reprocessing, NA=Nuclear Applications,DF=Defence, DC/RE=Decommissioning/Remediation, ND=Not Determined



Note: where volume "as dispo" is provided, volume "as is" is used in the graph instead.

**Waste Class:** MD

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %  | FF/FE % | RP % | NA %  | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|-------|---------|------|-------|------|---------|------|
| MD               | Disposal            | Y    | Y    | 1367.000            | 1367.000               | 40.00 | 0.00    | 0.00 | 60.00 | 0.00 | 0.00    | 0.00 |

Comment # 6678: The additional characteristics of the waste

Processed: solid (non-dispersible)

**Waste Class:** MDLC

| Waste Class Name | Location / Facility | Proc | Est. | Volume "as is" (m³) | Volume "as dispo" (m³) | RO %  | FF/FE % | RP % | NA %  | DF % | DC/RE % | ND % |
|------------------|---------------------|------|------|---------------------|------------------------|-------|---------|------|-------|------|---------|------|
| MDLC             | Disposal            | Y    | Y    | 941.000             | 941.000                | 40.00 | 0.00    | 0.00 | 60.00 | 0.00 | 0.00    | 0.00 |

Comment # 6679: The additional characteristics of the waste

Processed: solid (non-dispersible)

## Regulators

Country: SWITZERLAND

Reporting Year: 2006

|               |   |
|---------------|---|
| <b>Name:</b>  | <b>HSK</b>  |
| Full Name:    | Swiss Federal Nuclear Safety Inspectorate                 |
| Divison:      | Division for Transport and Waste Management Safety (SITE) |
| City or Town: | CH-5232 Villigen-HSK                                      |
| Main Website: |   |

Comment **# 6658: Domain of Regulation / Supervision**

Radwaste management at sites / facilities licensed under the Nuclear Energy Act (KEG).

|               |  |
|---------------|--|
| <b>Name:</b>  | <b>BAG</b>                             |
| Full Name:    | Swiss Federal Office for Public Health |
| Divison:      | Radiation Protection                   |
| City or Town: | CH-3003 Berne                          |
| Main Website: |  |

Comment **# 7233: Domain of Regulation / Supervision**

Radwaste management at sites / facilities not licensed under the Nuclear Energy Act (KEG).

## Regulations / Laws

Country: SWITZERLAND

Reporting Year: 2006

|                                 |                    |     |  |
|---------------------------------|--------------------|-----|--|
| <b>Name:</b>                    | <b>KEG</b>         |     |  |
| Title or Name:                  | Nuclear Energy Act |     |  |
| Reference Number:               | 732.1              |     |  |
| Date Promulgated or Proclaimed: | 3/21/2003          | Law |  |

|                                 |                          |     |  |
|---------------------------------|--------------------------|-----|--|
| <b>Name:</b>                    | <b>KEV</b>               |     |  |
| Title or Name:                  | Nuclear Energy Ordinance |     |  |
| Reference Number:               | 732.11                   |     |  |
| Date Promulgated or Proclaimed: | 12/10/2004               | Law |  |

|                                 |                             |     |  |
|---------------------------------|-----------------------------|-----|--|
| <b>Name:</b>                    | <b>StSG</b>                 |     |  |
| Title or Name:                  | Radiological Protection Act |     |  |
| Reference Number:               | 814.50                      |     |  |
| Date Promulgated or Proclaimed: | 3/22/1991                   | Law |  |

|                                 |                                   |     |  |
|---------------------------------|-----------------------------------|-----|--|
| <b>Name:</b>                    | <b>StSV</b>                       |     |  |
| Title or Name:                  | Radiological Protection Ordinance |     |  |
| Reference Number:               | 814.501                           |     |  |
| Date Promulgated or Proclaimed: | 6/22/1994                         | Law |  |

|                                 |  |     |  |
|---------------------------------|--|-----|--|
| <b>Name:</b>                    | <b>StiFV</b>   |     |  |
| Title or Name:                  | Federal Ordinance on the Decommissioning Fund for Nuclear Facilities |     |  |
| Reference Number:               | 732.013  |     |  |
| Date Promulgated or Proclaimed: | 12/5/1983  | Law |  |

|                                 |   |     |  |
|---------------------------------|---|-----|--|
| <b>Name:</b>                    | <b>VARA</b>   |     |  |
| Title or Name:                  | Ordinance on the Collection of Radioactive Waste (BAG supervision area) |     |  |
| Reference Number:               | 814.557   |     |  |
| Date Promulgated or Proclaimed: | 9/3/2002  | Law |  |

## Regulations / Laws

Country: SWITZERLAND

Reporting Year: 2006

|                                 |  |            |  |
|---------------------------------|--|------------|--|
| <b>Name:</b>                    | <b>R-14</b>  |            |  |
| Title or Name:                  | Requirements for Conditioning of Radioactive Waste |            |  |
| Reference Number:               | HSK-R-14   |            |  |
| Date Promulgated or Proclaimed: | 3/1/2004   | Regulation |  |

|                                 |   |            |  |
|---------------------------------|---|------------|--|
| <b>Name:</b>                    | <b>R-21</b>   |            |  |
| Title or Name:                  | Protection Objectives for the Disposal of Radioactive Waste |            |  |
| Reference Number:               | HSK-R-21  |            |  |
| Date Promulgated or Proclaimed: | 11/1/1993   | Regulation |  |

|                                 |   |     |  |
|---------------------------------|---|-----|--|
| <b>Name:</b>                    | <b>EntsFV</b>   |     |  |
| Title or Name:                  | Federal Ordinance on the Waste Management Fund for Nuclear Power Plants |     |  |
| Reference Number:               | 732.014   |     |  |
| Date Promulgated or Proclaimed: | 3/6/2000  | Law |  |

|                                 |  |            |  |
|---------------------------------|--|------------|--|
| <b>Name:</b>                    | <b>LDC</b>   |            |  |
| Title or Name:                  | London Convention on the Prevention of Marine Pollution by Dumping of Waste and Other Matter |            |  |
| Reference Number:               |  |            |  |
| Date Promulgated or Proclaimed: | 12/29/1972   | Regulation |  |

|                                 |   |            |  |
|---------------------------------|---|------------|--|
| <b>Name:</b>                    | <b>R-52</b>   |            |  |
| Title or Name:                  | Transport and Storage Casks (T/S-Casks) for Interim Storage |            |  |
| Reference Number:               | HSK-R-52  |            |  |
| Date Promulgated or Proclaimed: | 7/1/2003  | Regulation |  |

|                                 |   |            |  |
|---------------------------------|---|------------|--|
| <b>Name:</b>                    | <b>R-13</b>   |            |  |
| Title or Name:                  | Free Release of Materials and Areas from Controlled Zones |            |  |
| Reference Number:               | HSK-R-13  |            |  |
| Date Promulgated or Proclaimed: | 2/1/2002  | Regulation |  |



## Regulations / Laws

Country: SWITZERLAND

Reporting Year: 2006

|                                 |   |  |     |
|---------------------------------|---|--|-----|
| <b>Name:</b>                    | <b>GStSV</b>  |  |     |
| Title or Name:                  | Federal Ordinance on Fees in the Area of Radiation Protection |  |     |
| Reference Number:               | 814.56  |  |     |
| Date Promulgated or Proclaimed: | 7/5/2006  |  | Law |

|                                 |   |  |            |
|---------------------------------|---|--|------------|
| <b>Name:</b>                    | <b>R-29</b>   |  |            |
| Title or Name:                  | Requirements for Interim Storage of Radioactive Waste |  |            |
| Reference Number:               | HSK-R-29  |  |            |
| Date Promulgated or Proclaimed: | 3/1/2004  |  | Regulation |

## Milestones

Country: SWITZERLAND

Reporting Year: 2006

|   |      |           |      |
|---|------|-----------|------|
| Start Year or Reference Year:   | 2002 | End Year: | 2006 |
| Description of Milestone:   |      |           |      |
| <p>EL-HAA/LMA: Completion of feasibility study (Project "Entsorgungsnachweis"), based on Opalinus clay host rock formation in Northern Switzerland (Zürcher Weinland). Report was submitted by Nagra to the Federal Government by end of 2002. At the same time, Nagra asked the Federal Government to agree to Nagra's proposal to focus future investigations for the Swiss SF/HLW/ILW programme on the Opalinus clay and the candidate siting area of the Zürcher Weinland. After review of Nagra's Technical documentation by national and international expert teams, the Federal Council approves the Entsorgungsnachweis on June 28, 2006. Focussing investigations on the proposed potential region was, however, disapproved. Instead, site selection shall be based on the Sectoral Plan (Sachplan) procedure as required by the new Nuclear Energy Ordinance (KEV), designed to identify finally at least two candidate sites - based on safety aspects, spatial planning criteria and public involvement.</p> |      |           |      |
| Start Year or Reference Year:   | 1996 | End Year: | 2003 |
| Description of Milestone:   |      |           |      |
| <p>EL-SMA: Despite decisions on a stepwise concession approach (first only exploratory drift, then repository), project modifications (monitoring, retrievability) and definition of exclusion criteria: negative outcome of a new cantonal vote on mining concession for an exploratory drift in September 2002. Wellenberg site is abandoned by the potential operator company GNW, which is formally disbanded in 2003 after completion of recultivation and settlement of further obligations.</p>  |      |           |      |
| Start Year or Reference Year:   | 1993 | End Year: | 1995 |
| Description of Milestone:   |      |           |      |
| <p>EL-SMA: Wellenberg identified as candidate site after a 12 years' site evaluation procedure (1993), agreement with local community (1994), applications for general licence (federal) and mining concession (cantonal) for exploratory drift and repository in 1994, mining concession being rejected by public referendum in June 1995.</p>   |      |           |      |
| Start Year or Reference Year:   | 1990 | End Year: | 1992 |
| Description of Milestone:   |      |           |      |
| <p>Implementation of a standardized, decentralized computer-based database system for Swiss radioactive waste (ISRAM), which enables characterization and book-keeping for all conditioned and most of unconditioned waste packages.</p>  |      |           |      |
| Start Year or Reference Year:   | 1988 | End Year: | 2004 |
| Description of Milestone:   |      |           |      |
| <p>ZWILAG: Planning, construction and commissioning of a central storage facility for spent fuel, HLW and any other type of waste, with conditioning facilities and plasma arc incinerator/melter.</p>  |      |           |      |

## Milestones

Country: SWITZERLAND

Reporting Year: 2006

|   |      |           |      |
|---|------|-----------|------|
| Start Year or Reference Year:   | 1985 | End Year: | 1988 |
| Description of Milestone:   |      |           |      |
| "Project Gewaehr 85":<br>Feasibility demonstration for disposal of all waste categories in Switzerland submitted by Nagra in 1985. Decision of Federal Government in June 1988: demonstration for EL-SMA accepted, for EL-HAA/LMA (crystalline host rock) safety concept and engineering feasibility accepted, but siting feasibility yet to be demonstrated. |      |           |      |
| Start Year or Reference Year:   | 1982 | End Year: | 1982 |
| Description of Milestone:   |      |           |      |
| End of OECD/NEA sea dumping activities for LILW in the Northern Atlantic Ocean.   |      |           |      |
| Start Year or Reference Year:   | 1978 | End Year: | 1978 |
| Description of Milestone:   |      |           |      |
| Concept report on geological disposal in Switzerland (Nagra)  |      |           |      |

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**



## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**

## Future Outlook

Country: SWITZERLAND

Reporting Year: 2006

**Data not available.**